Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

		Email address:	water.well@l		ate.tx.us		чроп	completion	or the wen	•	
1) OWNER	A. W	ELL IDENTIF	Congression of the Congression o	The state of the s	ATION	DATA		e di Siri			
Monteluine	Address 70	Ole N.Lig	hthouse City	Ffa	Vort	ŋ	State	Zip	617%	9	
2) WELL LOCATION						a in the second			4.14		
County	Physical Adda	ress N Ligh	City Chase	FF	Wo1	<i>J</i> -	State	Zip	6179	<i>></i>	
3) Type of Work New Well Reconditioning Replacement Deepening	4) Propose	d Use (check)	Monitor C	Environr	nental Soil	Boring D		<u>2-/3</u> 5)	?-3 N	↑	
ļ	Rig Supp	ly I	If Public Supply	well, were p	olans submit	ted? Ye	s 🔲 No	(_		
6) Drilling Date Started 3 / 20 / 0/	Dia.(in)	From (ft)	To (ft)	Air	Rotary 🚨	Mud Rotary	Driven Bored	*			
Completed 3 / >/ /0/	63/4	0	360	Air Othe		Cable Too	Jetted Jetted				
From (ft) To (ft) Descrip	otion and co	lor of formatior	material	8) Bor	ehole Co	mpletion	Open Ho	le 🛭 Strai	ght Wall		
0-20 10CL + y	12/10W	54-11		If Grav	nder-rean vel Packed s	ned 10 Grav	rel Packed 🗆	Other	BO ft.		
200 160 Gray	54411	& rock		Casing, Blank Pipe, and Well Screen Data							
760-200 sand		<u></u>		Dia.	New Or	Steel, Plasti Perf., Slotte	ed, etc	Setting (f	Casin	ıg	
220 -300 sand	7/			(in.)	Used	Plas /	., if commercial	From 34/	To Scree		
300-340 sand	+ Blue	shell		17		1 145/		37	78		
*				0) 0		~ .					
<u> </u>	-			9) Cer Cemer	nenting I	Data Syp _{ft. to}	200 ft.	# of sacks us	sed F	_	
(Use reverse side of Wel	l Owner's copy,	If necessary)	-	Method	Used	ft. to	ft.	# of sacks us	ed	_	
13) Plugged Casing left in well: Cement/Bentonite From (ft) To (ft) From (placed in well:	nours	Sacks used		e to septic s	ystem field or o	other concentrate	d contamina	tionf	<u>t</u> .	
14) Type Pump	1 Submersible		Sucks used	Speci Speci Pitles	fied Surface fied Surface s Adapter U	mpletion Slab Installed Sleeve Install Jsed ative Procedure	ed				
Other	ft.			11) W	ater Leve	e]					
15) Water Test Typetest Pump Bailer I Jett	ed 🛭 Estimat wdown after	ed		Static le Artesian	vel	ft below pont	Date 2 12	/ /			
16) Water Quality				12) Pa	ckers===		Pyperservation	Depth			
Did you knowingly penetrate a strata wh						MAY	8 7003				
Type of water Was a chemical analysis made Yes	Depth of S	Strata			RECEIPT		AMOUNT	22767 Pro-			
Company or individual's Name (ty	pe or print)	B+B	Pum	ρ	+ + + + + + + + + + + + + + + + + + +	gangerin gian	Lic. No/	547u	IP		
Address 363 CR	3170		City	Deca	ter		State TX	Zip	7633	1	
Signature R. J. J. Licensed Drilled Pump Installe		3 ,2/	Sign	nature /	en-	refe				1964	

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft)	Description and color of formation material
· · · · · · · · · · · · · · · · · · ·		
	,	
ļ		
		
*		

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

Email address: water.well@license.state.tx.us

WELL REPORT A. WELL IDENTIFICATION AND LOCATION DATA									
1) OWNER Name	Address		i Sirk Maji na	7. T.		Ctoto	T 7:		
Montdire	37/2 No	Lighthous Cit	FL	Woo	th	State	76.	179	
2) WELL LOCATION			* \$ P.P.4		EVERY ME	The particular of the particul	a parateri di 1931. Anton		
Tadran t	Physical Address 17/7//	ighthase Cit	y Ft	Wor	<i></i>	State /	Zip	179	
3) Type of Work	Lat.	Lon				Grid#	2-13	- 5	
	4) Proposed Use (ch			mental Soil	Boring TD	-	5)	N↑	
	Industrial Irrigation Rig Supply	ion Injection If Public Supply				_	X		
6) Drilling Date	Diameter of				hod (check)		/\	Ì	
7 ~ ~	Dia.(in) From (ft		-		Mud Rotary				
Completed 7 / 28 / 03	634 0	360	_/_	Hammer [Cable Too				
			-						
From (ft) To (ft) Descript	tion and color of forn	nation material	8) Bor	ehole Co	mplețion	Open Hol	le 🗆 Straight	Wall	
	u shell fr		T 🗅 U	nder-rean	ned 🙇 Grav	el Packed 📮	Other		
	swell troc				give the interva	Well Screen	Data	Σ π.	
160-200 595	Cl			New	Steel, Plasti	c, etc.	Setting (ft)	Gage	
200-240 red	(9-11		Dia. (in.)	Or Used	Perf., Slotte Screen Mfg	d, etc	From To	Casing Screen	
7-10-360 5an			U	W		/e'c	0 360	1/5	
								ļ	
<u>:</u>			-	<u> </u>	<u></u>		<u> </u>		
8. Ú			9) Ce	menting	Data	770 ft	# of cacks used	8	
(Use reverse side of Well	Owner's copy, If necessary)				ft. to	20 ft.	# of sacks used _	3	
			Method	ting By					
Casing left in well: Cement/Bentonite p	l within 48 hours	·	Distance to septic system field or other concentrated contaminationft. Method of verification of above distance						
From (ft) To (ft) From (ft	t) To (ft)	Sacks used		· *		stance			
			10) St □ Spec	u rface Co ified Surface	ompletion e Slab Installed				
			Spec	ified Surfac	e Sleeve Install				
14) Type Pump Turbine Jet	Submersible Cylinder	•	O Appi	ss Adapter U	osed ative Procedur	e Used	- American de la company de la		
Other	ft.	<u> </u>	11) 11	ater Lev	CEIV	ED			
15) Water Test	11.		Static le	evel_TDL	fit below		/		
Typetest ☐ Pump ☐ Bailer ☐ Jetted Yield:gpm withft. draw		rs.	Artesia	n Flow			/		
16) Water Quality	12) Pa	ackers ^[]	WAA # 100 %	rype	Depth				
Did you knowingly penetrate a strata which contain undesirable constituents.									
Type of water Depth of Strata									
Was a chemical analysis made Yes	No				فالماء أخماعهم	a in Language to the company	المهي		
Company or individual's Name (type	pe or print) B	3 Pump				Lic. No. 16	for wh	•	
Address 363 CR 3	170	City	De	cut	08	State TX	Zip 7	5 >3	
Simoton O. M. of M.	7 3 , -	20103 Si	gnature	ins	i Mi		3,7	100	
Signature Licensed Driller/Pump Installer		Date Si	gnature/	App	rentice		-Date		

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft)	Description and color of formation material
-		
:		
		

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

Email address: water.well@license.state.tx.us
WELL REPORT

1) OWNER	A. WEL	LIDENTI	ICATION	AND LOC	ATION I	DATA					
Name 1	Address			City			State	Zip			
Montclaire	3400	Gran	+ SLand	rag F	Mub.	175	$\mathcal{T}X$	767	9		
2) WELL LOCATION	a from the first	化电子电	9 # day	h4dran	louin in the		All holds	图记录			
County	Physical Address		, ,	City)]	1.1	State	Zip_			
1 arrant	3400 G	runtsl	anding	r +	Wov	TA	<u>/ </u>	161	1		
3) Type of Work	Lat.			ong.			Grid#3	2=/3.	- 3		
New Well Reconditioning	4) Proposed U	Jse (check)			mental Soil			5)	N↑		
Replacement Deepening	Industrial							0,	111		
:	Rig Supply					ted? Yes		<i>j</i> ~			
6) Drilling Date		neter of Hole				hod (check)		^			
Started 3/73/05	Dia.(in)	From (ft)	To (ft)	1		Mud Rotary					
Started <u>J7 1717</u>	/ Z/	0		1_1		Cable Tool					
completed 3/03/03	6 7/4	<u>U</u>	360			- Cable 1001	Jetted				
completed		·	·	 Oth	er						
	<u> </u>		1				· · · · · · · · · · · · · · · · · · ·				
	tion and color							le 🖵 Straight	t Wall		
0-20 re16	2054el	1 trock		If Gra	nder-rean vel Packed s	ned Grave give the interval	Packed ☐ from 560	other ft. to 260	9 ft		
20-180 110	y 54 - 11	trock	Ć				Well Screen				
180-200 Sand		, , , , ,			New	Steel, Plastic	e, etc.	Setting (ft)	Gage		
	d54=11	,		Dia.	Or	Perf., Slotted		Г Т.	Casing		
2110 - 310 (6)	-01		· · · · · · · · · · · · · · · · · · ·	(in.)	Used		, if commercial		Screen		
740 - 160 390	14		······································	7	70	1193	57-c	0 360			
	 										
									ļ		
				0. 6		<u></u>		<u> </u>	L		
i		·		9) Cen	menting I	Data 260 ft. to	770 ft	# of cacks used	8		
(Use reverse side of Wel	I Oumaria comu. If r				anting from	ft. to	10 ft.	# of sacks used _	3		
(Use reverse side of Wel											
13) Plugged	d within 48 hou	irs		Distanc	Cementing Byft. Distance to septic system field or other concentrated contaminationft.						
From (ft) To (ft) From (ft)	Sacks used	Method	l of verificat	ion of above dis	stance				
				10) St	ırface Co	mpletion					
				□ Spec	ified Surface	Slab Installed					
14) Type Pump	. 			Pitles	ified Surface ss Adapter U	e Sleeve Installe Jsed	ed				
☐ Turbine ☐ Jet	Submersible 🗖	Cylinder		☐ Appr	oved Altern	ative Procedure	Used				
Other Depth to pump bowls, cylinder, jet etc.,	ft.	•		11) 13	oton I ov	م ا					
15) Water Test			·- <u>-</u>		ater Leve	ft-below===	Date /				
Typetest 🗖 Pump 🗖 Bailer 🗖 Jette		hrs.			n Flow 📮	E Com.	Dale \Xi 🚺	/			
Yield:gpm withft. dray	12) Pe	ackers	TOLH MAL	ROOM	Bl4 Depth						
Did you knowingly penetrate a strata whi	ich contain undesira	ible constituents	S.	12) 1		*		Debui			
YES NO If yes, did you submit	a REPORT OF UN	DESIRABLE V		-		MAY I	<u> </u>				
Type of water	Depth of Strat	a				Tai	MOUNT				
Tes a chemical analysis made at 165				I F	RECEIPT #	I Al	MOON!				
Company or individual's Name (ty	pe or print)	BHB	Pum	ρ			Lic-No. /	47W	4		
Address 363 CR	30	2 <u>0</u>	Ci	ty De	cup	<u>v</u>	State 7	Zip Z	6234		
Signature & JE	,	23	103	Signature /	w	wor		3,23	100		
Licensed Driller/Pump Installe		Date			Ann	rentice		flate			

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft)	Description and color of formation material
:-		
•		
	•	
,		
<u> </u>		1-1
	<u>.</u>	* · · · · · · · · · · · · · · · · · · ·
*- -		

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

Email address: water.well@license.state.tx.us

		TO THE SOLE WITH	ELL RE	ORD PRODUC	SERVICE CONTRACTOR	SERVICE TO THE REST.	TA TOPUS MELTINES SAME				NUNCLES ENGINEERS
1) OWNER	A. WELL	, IDENTIFI	CATION	AN	D LOC	ATION	DATA			944 P.	
Name	Address			City	~,		1200 D. 100 D	State	1	Zip	
HdB Homes	3400 5	, Bayl	Breeze	Nu sale	<u> </u>)01 M	\	//	<u>{</u>	7617	4
2) WELL LOCATION						1,46,46			A 1 (1)		4 14 14 14 14 14 14 14 14 14 14 14 14 14
Tarrand	Physical Address 3400 S,	BuyBie	250	City 	Fth	or the	ገ	State	<u>X</u>	Zip 761	79
3) Type of Work	Lat.		\perp L $_{\odot}$	ong.				Grid#	3		-3
New Well Reconditioning	4) Proposed Us						` _	_	5))	N1
Replacement Deepening	Industrial 🔲	-	-								
c) Datition Date	Rig Supply						itted? Ye			X	
6) Drilling Date Started 3 / 27 / 03		ter of Hole from (ft)	To (ft)	\dashv			hod (check) Mud Rotary		ľ		
Statted 5/8/1/05	63/4	noin (it)	360				Cable Too				•
Completed 3/27 /03	074	0	>60		Othe		— Cable Foo		atted		
									<u> </u>		•
From (ft) To (ft) Descrip	tion and color o	f formation	material		8) Bore	ehole Co	ompletion	☐ Ope	n Hole	☐ Straight	Wall
0-20 rock	+ 1/e//ow 1	Chr 11			U Ur	nder-rear	med Grav	el Packe	ed 🔲 O	ther) a
20 - 200 6000	11-11 151	nck					give the interval k Pipe, and				rt.
20-200 grays		<u> </u>		$\neg \uparrow$		New	Steel, Plasti			Setting (ft)	Gage
	4 = 11				Dia. (in.)	Or Used	Perf., Slotte Screen Mfg		nercial Fr	rom To	Casing Screen
240-260 reds	1 + 61245	4-11			4	N	Plast			0 360	18
			· · · · · · · · · · · · · · · · · · ·								
,			·								
											<u> </u>
					9) Cen Cemer	nenting nting from	Data 200 ft. to	, 22	O ft. #0	of sacks used	8
(Use reverse side of Wel	l Owner's copy, If nec	cessary)			Method	Used	ft. to	/0	ft. # o	f sacks used _	>
13) Plugged	d within 48 hours	3			Cementi	ng By					
Casing left in well: Cement/Bentonite	placed in well:		Cooles used		Distance Method	to septic : of verifica	system field or o tion of above di	other conc	entrated c	contamination	ft.
From (ft) To (ft) From (ft) To (ft)	<u>'</u>	Sacks used		10) Sn	rfogo (ompletion	S. C. C DLFI M	Ali Pin	OM	
				\Box	☐ Specif	fied Surfac	e Slab installed		*****	SH SH	
14) Type Pump				\dashv		fied Surfacts SAdapter	e Sleeve Install Used	MAY :	1 2 20	03	
☐ Turbine ☐ Jet ☑	Submersible 🗖 Cy	ylinder			☐ Appro		native Procedur	<u>Used</u>	AMOUNT		
Other	ft.			\Box	11) W	ater Lev				•	
15) Water Test Typetest Pump Bailer I Jette	ad D Estimated				Static le Artesian		ft_below	Date Date	1/\// 15	= / ()	71
	wdown after	hrs.							IL ROC		-
16) Water Quality Did you knowingly penetrate a strata wh	ich contain undesirabi	le constituents		ŀ	12) Pa	ckers		Гуре—		Depth	
YES NO If yes, did you submit	a REPORT OF UND	ESIRABLE W	ATER	ŀ			N	AY 2	7 200	3	-
Type of water	Depth of Strata No			ŀ			RECEIPT#		AMOUNT	·	+
Company or individual's Name (ty	pe or print)	+13	Pur	l				Lic. No). 16 C	7741	
Address 363 CR	3170	<u> </u>	Ci	-7	De	cy h	10	State	TX	Zip >	6234
Signature Land	, 3	127	02	Sione	ature //	m	Mrs	~	-+ :	32	,03
Licensed Driller/Pump Installe		Date	要集制推	JIEII		A(p)	prentice		0.5	Date	

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft)	Description and color of formation material
!		
-:	1	
\$ 15 July 1		
in the second	1	
11.71.4	· · · · · · · · · · · · · · · · · · ·	to the transfer of the transfe
•		

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

Email address: water.well@license.state.tx.us

*		W]	ELL REPO	DRT	ic.tx.us						
1) OWNER	A. WI	ELL IDENTIFI	ICATION AP	ND LOCA	LTION	DATA			4.1.1		
Name [1955; <	Address 3217	BaxBr	City		Nor f	4	State	/	Zip 76/	79	
2) WELL LOCATION	- G G G.	ing the								ning sanggap Shirk salah san	
County Tarrant	Physical Addre	ess Bay Br	City	Fh	Nor	14	State		Zip 76	179	
3) Type of Work	Lat.		Long	<u>. </u>			Grid#	32-	-13-	3	
New Well Reconditioning		d Use (check)	_			J . , _	omestic .	5)		N↑	
Replacement Deepening		☐ Irrigation ☐	-	-							
	Rig Supply		If Public Supply w					_	X		
6) Drilling Date	I I	ameter of Hole	To (ft)	7) Drilling Method (check) Driven Air Rotary Mud Rotary Bored							
Started 3/24/03	Dia.(in)	From (ft)	1-1-	_	■ Mud Rotary Cable Too						
Completed 3/24/03	63/4	0	360	Other		Cable 100	l 🖵 Jene	<u>م</u> ا			
completed 3,0 (,0)			 	. Cuici				·			
From (ft) To (ft) Descrip	tion and col	or of formation	material	8) Bore	hole Co	ompletion	□ Open	Hole [1 Straight	Wall	
			•	🗖 🚨 Un	der-rear	med Grav	el Packed	Oth	her		
i	,	1 56211		If Grave	el Packed	give the interva k Pipe, and	l from 🔰	60 ft	. to)	<i>O</i> ft.	
200 - 200 gray	shalld) voc C		Custin	New	Steel, Plasti		- 1	etting (ft)	Gage	
	54211			Dia.	Or	Perf., Slotte				Casing	
	d & blu	- chell		(in.) .	Used	Plast		ciai Pio	m To	Screen	
	010000				/	1.50	i C	$\dashv^{\boldsymbol{\iota}}$	_ عور	7 /2	
li A.											
				9) Cem	enting	Data	274			a	
				Cemen	ting from	260 ft. to	10	ft. #of s ft. #of s	sacks used _ sacks used _	3	
(Use reverse side of Well					Used						
13) Plugged		ours		Cementing By Distance to septic system field or other concentrated contamination ft. Method of verification of above distance in the contamination ft.							
From (ft) To (ft) From (f		Γο (ft)	Sacks used	Method	of verificat	tion of above on	stance	, 1 1 mg 12	NY 8F		
<u> </u>				10) Sur	rface Co	ompletion ce Slab Installed	MAY 1	2 2001	À		
				T OPCCIII	rou ourino	CO DINCHESTION.				Decease -	
14) Type Pump Turbine Jet	Submersible	1 Cylinder				RISEGEIPT # native Procedure	3	TMUONT			
☐ Other /1.		- Cylinder							6.7. <u>- 19.28.</u>		
Depth to pump bowls, cylinder, jet etc., 15) Water Test	ft.			11) Wa Static lev	ter Lev	ft. below	Date E 1	NE	/m	7	
Typetest Pump Bailer Jette				Artesian		gp \ D	THAVAIL	ROOK	AR		
Yield: gpm with ft. draw 16) Water Quality	wdown after	hrs.		12) Pac	ckers	. 7	Гуре	-	Depth	1	
Did you knowingly penetrate a strata whi					1	— i∀i,	AY Z 7	2003			
YES NO If yes, did you submit Type of water	Depth of St		ATEK		R	REGEIPTH	AMC	DUNT			
Was a chemical analysis made Yes	□ No										
Company or individual's Name (ty	pe or print)	BJB	Pum	ρ	Same.		Lic. No.	164	764)	
Address 363 R	3178) <u> </u>	City	Deca	We	·	State 7	χ_{-}	Zip 76	234	
Signature Ja B		3,24	Sign	nature K	enn	msus	hor	_ =	3,24	103	
Licensed Driller/Pump Installe	Maria de Calocado de	Date	and the delta		Anr	orentice	AGREGORIE VIII		Date		

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft)	Description and color of formation material
		and the second s
1 95 Jens	•	
Consumer to		
77 E	:	
Section Section 1		

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

Email address: water.well@license.state.tx.us

· ·		W	ELL REP		aie.ix.us						
1) OWNER	A. WE	LL IDENTIF	ICATION A	ND LOC	ATION	DATA	李子子 李子子				
Name	Address		Cit				State	Zip			
Montelaire	Har box	View	Ct.	F+W	orth		TX	76	779		
2) WELL LOCATION								\$-1-4-K-1	e il aktol		
County	Physical Address		Cit	Ftw	1 . 41		State	Zip	1.179		
larrant	Har 501	View C	+	FTU	0//-	-	/ X	/	0111		
3) Type of Work New Well Reconditioning	Lat.		Lon				Grid#32-13-3				
New Well Reconditioning	4) Proposed	Use (check)	Monitor [Environ	mental Soi	1 Boring D	omestic	5)	N↑		
Replacement Deepening	Industrial	Irrigation _	Injection	Public Supply De-watering Testwell							
	Rig Supply]	If Public Supply	well, were	plans subm	itted? Ye	s No	X			
6) Drilling Date		<u>neter of Hole</u>	· -								
Started 4 / 3 / 6 3						Mud Rotary					
11 3 03	63/4	D	300			Cable Too	ol				
$\frac{4,3}{0}$				Other							
i.			<u> </u>		.						
From (ft) To (ft) Descrip	tion and colo	r of formation	n material			ompletion			ght Wall		
n-20 Vell	ow 54.	e11				med 🕰 Grav			50 ft.		
	v 542					k Pipe, and			11.		
80 - 170 60	ind	<u> </u>			New	Steel, Plast	ic, etc.	Setting (ft) Gage		
120-140	edsne	11		Dia. (in.)	Or Used	Perf., Slotte	ed, etc z., if commercia	l From 7	Casing Screen		
	e surl	1		- \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	N	Plas		0 300			
200 - 300 59	. 1			1	1	1197		1 300			
				1							
N											
		,		9) Cer	menting	Data	t				
3				Ceme	enting from	200 ft. t	o 160 ft.	# of sacks use	ed E		
(Use reverse side of Wel	l Owner's copy, If	necessary)		Method	l Used		o <u>70</u> 11.	# of sacks use	ea		
13) Plugged		urs		Cement		evetamefraldear	other-concentra	ted conforming	ion ft.		
Casing left in well: Cement/Bentonite From (ft) To (ft) From (ft)		(ft)	Sacks used	Method of verification of above distance							
From (it) From (i	10	(11)	Odeks useu	10) 5-	-fose-G	ompletion—	TMAIL PE	SH SH			
				Spec	ified Surfa	ce Slab Installe ce Sleeve Instal	i	45	7		
14) Type Pyron			*	Spec	ified Surfa	ce Sleeve Instal Used	K 1 2 20	UJ			
14) Type Pump Turbine Jet	Submersible 🗆	Cylinder		☐ Appr	oved Alter	hali√e†Procedur	e Usediminini	****			
Other	<u> </u>			11) 11	/242 T a	R	EDEIN	/ED			
15) Water Test	11.			Static le	ater Le	ft. below	HDate AIL P	00M/	#		
Typetest 🗖 Pump 🗖 Bailer 🗖 Jette		4		Artesia	n Flow		Date7	7	_		
Yield:gpm withft. draw	wdown after	hrs.	10.	12) Pa	ackers	Î¥	Type 272	UUJ Depth			
Did you knowingly penetrate a strata whi					- 	RECRIPTO	AMOU	NT			
YES NO If yes, did you submit Type of water	a REPORT OF Ul Depth of Stra		VATER								
Was a chemical analysis made Yes					į						
Company or individual's Name (ty	pe or print)	B+B	Pur	n P			Lic. No. /	6470	P		
Address 363 C	3/	70	City	7_	cat	· /	State 7	Zip	76034		
Signature Licensed Driller/Pump Installe	Principal de la companya de la comp	4,3 Date	103 Si	<u>mature /</u>	MAN	y M		- 4/, 3	105		
The state of the s		TORREST TORRES	SECULAR DESCRIPTION OF SHARE PROPERTY OF SHARE OF SHARE PARTY OF S	MARKET PRESENTED 1	ar. 397 CAESTA	CONTROL TRACE TO THE TOTAL TOTAL TOTAL	THE RESERVE OF THE PROPERTY OF	and the second of the second o			

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft)	Description and color of formation material
		· · · · · · · · · · · · · · · · · · ·
•		
A	•	
aguer agus 10 (du 30) agus agus 10 (du 30)	.•	
,		
-		